




Swachata Badhao Tandruste Badhe





Factory:

PUNE (UNIT - I)

Gat No. 3405/2, Talegaon-Sanaswadi Road, Talegaon Dhamdhere, Taluka-Shirur, Dist. Pune - 412 208. Tel: (02137) 619000 / 9987771032

Tel: (02137) 619000 / 9987771032 pune@commanderwatertech.com

DAMAN (UNIT - II)

Road, 19, Somnath Co-op. Ind. Estate, Somnath Road, Dabhel, Daman - 396210 (U.T.) India. Tel: 0260 2242726 damanadmin@commanderwatertech.com



Corporate Office:

WATERTECH

Commander Watertech Pvt. Ltd.

Joshi Bldg, Sakivihar Lake Road, Mumbai-400 072. Tel: (022) 67294600 / 601 / 28574505 Fax: (022) 28570234 E-mail: salescoordinator@commanderwatertech.com


Customer Care IVR No.: (022) 67294633 E-mail: customercare@commanderwatertech.com

www.commanderwatertech.com

Celebrations of Colours



The shades shown are indicative only.





CWPL products are warranted for a period of 5* years. Our qualified and experienced service technicians are well equipped to provide service backup to our valuable customers. Spares manufactured in-house enable timely replacement.



Quality Policy

We at Commander Watertech Pvt. Ltd. are committed to continually improve upon quality of sanitary wares including enhancing satisfaction of our valued customers through excellend manufacturing techniques, timely delivery and defect free products.

This will be achieved by continual improvement in quality management system, innovation, team work and dedicated efforts of all employees.

*Warranty applicable on Commander brand cisterns only.

*T & C apply

Commander Pressalit **Bathrooms Accessories**

For the Physically Challenged

Product Range Includes:

Hand Rail



Support Arm - Fixed



Folding shower seat



Wash Basin Bracket



Support Arm Vertical



Raised Toilet Seat



Shower Chair



Modular Shelves



Adjustment Options









Commander Pressalit

Features

Pressalit products can be moved horizontally & vertically to suit the need of the physically challenged person. They are manually, gas or remote operated.

Advantages of Pressalit Care Products

- Comfort
- Feel good
- Secure
- Simple
- · Easy clean

The leader in the area of bathroom solutions for physically challenged



PRESSALIT.





Bridge Lever Assembly




Common Single Flush beta valve



Inlet Valve Assembly

Features

- · Quick and quiet filling
- Slim is a highly efficient & compact product
- 9 liters water capacity
- Moulded from polymers
- Critical and functional parts moulded from engineering grade ABS, Acetal etc.
- Rigorously tested Inlet Valve for 100,000 cycles and Beta Valve for 50,000 cycles
- Inlet Valve manufactured to sustain pressure of 15 kg/cm²
- Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern



Dual Flush Slim Dual Flush

The water saver - money saver cistern







Slim D/F Knob Assembly

Slim D/F Beta Valve



Inlet Valve Assembly

Features

Commander Dual Flush Cisterns with the 'Large Eco- Handle', save up to 65% of the water used by a conventional cistern (large handle will flush 3 litres and small handle 6 litres). This means that the Slim Dual Flush will pay for itself in no time.


These figures count for 365 days of use in a 4 person household. The twin volume technology provides the following saving:


Conventional Cistern		Slim Dual Flush Cistern	
Handle Type	Conventional	Small	Large
Usage per day	5 Times	4 Times	Once
Cistern Capacity	10 Litres	3 Litres	6 Litres
Consumption	50 Litres	12 Litres	6 Litres
Total Consumption	50 Litres	18 Litres	

Total saving:

50 litres - 18 litres = 32 litres per person

- =128 litres per household per day =46,720 litres per household per year
- With water costs of Rs. 5.50 per 1000 litres, and drainage at Rs. 2.00, the total saving of Rs. 7.50 per 1000 litres is Rs. 350.00 per cistern per year.





- India's first Green Cistern with 65% Water Savings
- 3/6 litres water capacity cistern manufactured
- · Compatible with all leading Sanitaryware
- · Additional Internal Overflow
- Inlet Valve manufactured to sustain pressure of 15 kg/cm²
- Rigorously tested Inlet Valve for 100,000 cycles and Beta Valve for 50,000 cycles
- Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern

Serra

Features

- · Sleek & compact design
- · Easy push dispensing mechanism
- · Rust free, chemical & corrosion resistant internal components
- · Made from high quality Polymers
- 250 ml Liquid capacity.





Trapol 303

Features

- · Anti cockroach & anti insect mechanism
- · Prevents bad odor
- Easy to clean & maintain
- Smooth & glossy finish
- · Made of High quality ABS polymers



14

Ultra Slim

Features

- Extra thin at just 13 cm.
- · Made of Polypropylene
- · Adjustable water level
- 9 liters capacity
- · Pressure taking capacity at 15 kg/cm² to ensure leak proof operation in high rise buildings





Styline Single Flush

Features

- · Feather touch
- · Pressure taking capacity at 15 kg/cm² to ensure leak proof operation in high rise buildings
- · Sturdy & Stylish knob ensuring trouble free operation
- Made of Polypropylene
- 10 liters capacity

Flushflo

Features

- · Feather touch
- · Pressure taking capacity at 15 kg/cm² to ensure leak proof operation in high rise buildings
- · Sturdy & Stylish knob ensuring trouble free operation
- Made of Polypropylene
- · Conserves usage of water
- · 6-8 liters capacity







Champion F/H Knob Assembly





Inlet Valve Assembly

Sultan Single Flush Pearl White

The next generation cistern



EXPOSED CISTERN





Sultan F/H Knob Assembly




Common Single Flush beta valve



Inlet Valve Assembly

Features

- · Inlet valve manufactured to sustain pressure of kg/cm²
- Rigorously tested Inlet Valve for 100,000 cycles and Beta Valve for 50,000 cycles
- Critical and functional parts moulded from Engineering grade plastics, ABS, Acetal, and PP etc. selected according to function of component to give reliable performance
- Sturdy & Attractive Knob Ensuring trouble free operation
- Cistern body moulded from polypropylene
- · 10 litres water capacity
- Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern







Bridge Lever Assembly

Features


- The Slim Deluxe has the following advantages over the ceramic cistern:
- Unbreakable
- Lighter in weight
- Aesthetic in appearance, with a depth of 133 mm. and no visible pipe connections
- Functionally superior, equipped with a unique top button arrangement
- It compliments Water Closets made by all leading manufacturers
- · Inlet valve manufactured to sustain pressure of 15 kg/cm²
- 9 litres water capacity
- Rigorously tested Inlet Valve for 100,000 cycles and Beta Valve for 50,000 cycles
- Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern



Common Single Flush beta valve



Inlet Valve Assembly



* Cowl will be available separately.



Anglo Indian Weight bearing capacity upto 200 kgs. Standard design fits all available Anglo Indian pans











Champion F/H Knob Assembly




Common Single Flush beta valve




Inlet Valve Assembly

Features

- · Quick and quiet filling
- 9 liters water capacity
- Champion is a highly efficient & compact product
- · Moulded from polypropylene
- Slim body design
- Rigorously tested Inlet Valve for 100,000 cycles and Beta Valve for 50,000 cycles
- Critical and functional parts moulded from engineering grade ABS, Acetal etc.
- · Available in white and pastel colours
- Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern
- · Feather touch flushing
- Inlet Valve manufactured to sustain pressure of 15 kg/cm²



mmandar Drad tot Catalogue









Slimhide PSF Beta Valve

Features

- All components are in ABS, Acetal, EVA, PP and other high quality non corrosive materials
- · Inlet Valve manufactured to sustain pressure of 15 kg/cm²
- Uses standard 1/2" pipe with 1/2 bar to 15 bar head. Does not need 3/4" pipes with 15' head or pressure lines




Inlet Valve Assembly


- All parts are standardized and replaceable
- · 9 litres water capacity
- · Silent operation
- · Mosquito proof cistern has a lip and an integral lock to ensure no mosquito enters the cistern
- 5 years warranty with free installation guidance

The Commander Slimhide Pneumatic actuates a cistern upto a distance of 10 feet. It is tested for 50,000 cycles.

Applications of the Commander Slimhide Pneumatic Actuator (All dimensions are in cms.)



with wall mounted actuator





Slimhide PDF

All you see is the Actuator



DUAL PNEUMATIC CISTERN





Slimhide PDF Beta Valve

Features

- · Space saving
- · Dual Flush Water saving
- All components are in ABS, Acetal, EVA, HIPS and other high quality non corrosive materials
- Inlet Valve manufactured to sustain pressure of 15 kg/cm²
- Uses standard 1/2" pipe with 1/2 bar to 15 bar head. Does not need 3/4" pipes with 15' head or pressure lines



Inlet Valve Assembly

- 4 5/9 litres water capacity
- · Possibility of remote location
- · Architectural design flexibility
- Silent operation

The Commander Slimhide Pneumatic Dual Flush actuates a cistern up to a distance of 10 feet. It is tested for 50,000 cycles.

Few of our clients

Hotel Taj,

Mumbai



DLF Square, Hotel The Grand, Mumbai Gurgaon



Le Royal

Meridien,

Mumbai



Anubhay Hotels Ltd. Noida



Raheja

Windmere.

Mumbai



Noida



Hiranandani Cadence, N.E.P.Z. Tivoli. Mumbai

10